==========

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2007; month=12; day=13; hr=9; min=43; sec=6; ms=958;]

==========

Validated By CRFValidator v 1.0.3

Application No: 10077624 Version No: 3.0

Input Set:

Output Set:

Started: 2007-11-26 09:38:22.663
Finished: 2007-11-26 09:38:26.354
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 691 ms
Total Warnings: 28
Total Errors: 0
No. of SeqIDs Defined: 31
Actual SeqID Count: 31

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (1)
W	213	Artificial or Unknown found in <213> in SEQ ID (3)
W	213	Artificial or Unknown found in <213> in SEQ ID (4)
W	213	Artificial or Unknown found in <213> in SEQ ID (5)
W	213	Artificial or Unknown found in <213> in SEQ ID (6)
W	213	Artificial or Unknown found in <213> in SEQ ID (7)
W	213	Artificial or Unknown found in <213> in SEQ ID (8)
W	213	Artificial or Unknown found in <213> in SEQ ID (9)
W	213	Artificial or Unknown found in <213> in SEQ ID (10)
W	213	Artificial or Unknown found in <213> in SEQ ID (11)
W	213	Artificial or Unknown found in <213> in SEQ ID (12)
W	213	Artificial or Unknown found in <213> in SEQ ID (13)
W	213	Artificial or Unknown found in <213> in SEQ ID (14)
W	213	Artificial or Unknown found in <213> in SEQ ID (17)
W	213	Artificial or Unknown found in <213> in SEQ ID (18)
W	213	Artificial or Unknown found in <213> in SEQ ID (19)
W	213	Artificial or Unknown found in <213> in SEQ ID (20)
W	213	Artificial or Unknown found in <213> in SEQ ID (21)
W	213	Artificial or Unknown found in <213> in SEQ ID (22)
W	213	Artificial or Unknown found in <213> in SEQ ID (23)

Input Set:

Output Set:

Started:	2007-11-26 09:38:22.663
Finished:	2007-11-26 09:38:26.354
Elapsed:	0 hr(s) 0 min(s) 3 sec(s) 691 ms
Total Warnings:	28
Total Errors:	0
No. of SeqIDs Defined:	31
Actual SeqID Count:	31

Error code	Error Description

This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

<110> Shi, Wenyuan
Morrison, Sherie
Trinh, Kham
Wims, Letitia
Chen, Li
Anderson, Maxwell
Qi, Fengxia

<120> Anti-Microbial Targeting Chimeric Pharmaceutical

<130> 59157.8007.US01

<140> 10077624
<141> 2002-02-14

<150> US 09/910,358
<151> 2001-07-19

<150> US 09/378,577
<151> 1999-08-20

<160> 31

<170> PatentIn version 3.4

<210> 1
<211> 563
<212> DNA
<213> Artificial sequence

<220>
<223> Histatin 5/linker peptide/SWLA3 VH chain construct synthesized
using sequential PCR techniques

<220>
<221> misc_feature
<222> (69)..(140)
<223> Histatin 5 peptide

<220>
<221> misc_feature
<222> (141)..(188)
<223> Glycine/serine linker peptide

<400> 1
ggatatccac catggacttc gggttgagct tggttttcct tgtccttact ttaaaaggtg 60

tccagtgtga tagccacgct aagcggcacc acggatataa gcggaagttc cacgagaagc 120

accactcgca cagaggatac tctggtggcg gtggctcggg cggaggtggg tcgggtggcg 180

gcggatccga cgtgaagctt gtggagtctg ggggaggctt agtgaaccct ggagggtccc 240

tgaaactctc ctgtgcagcc tctggattca ctttcagtag ctataccatg tcttgggttc 300

gccagactcc ggagaagagg ctggagtggg tcgcatccat tagtagtggt ggtacttaca 360

cctactatcc agacagtgtg aagggccgat tcaccatctc cagagacaat gccaagaaca 420

ccctgtacct gcaaatgacc agtctgaagt ctgaggacac agccatgtat tactgttcaa 480

gagatgacgg ctcctacggc tcctattact atgctatgga ctactggggt caaggaacct 540

cagtcaccgt ctcttcagct agc 563

<210> 2
<211> 24
<212> PRT
<213> Homo sapiens

<400> 2

Asp Ser His Ala Lys Arg His His Gly Tyr Lys Arg Lys Phe His Glu
1 5 10 15

Lys His His Ser His Arg Gly Tyr
20

<210> 3
<211> 16
<212> PRT
<213> Artificial sequence

<220>
<223> Linker peptide used to separate antimicrobial peptides from antibody VH chains in chimeric antibody fusion protein constructs

<400> 3

Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser
1 5 10 15

<210> 4
<211> 165
<212> PRT
<213> Artificial sequence

<220>
<223> Histatin 5/linker peptide/SWLA3 VH chain construct synthesized using sequential PCR techniques

<220>
<221> MISC_FEATURE
<222> (1)..(24)
<223> Histatin 5 peptide

<220>
<221> MISC_FEATURE
<222> (25)..(40)
<223> Glycine/serine linker peptide

<400> 4

```
Asp Ser His Ala Lys Arg His His Gly Tyr Lys Arg Lys Phe His Glu
1               5                  10                  15

Lys His His Ser His Arg Gly Tyr Ser Gly Gly Gly Gly Ser Gly Gly
            20                  25                  30

Gly Gly Ser Gly Gly Gly Gly Ser Asp Val Lys Leu Val Glu Ser Gly
        35                  40                  45

Gly Gly Leu Val Asn Pro Gly Gly Ser Leu Lys Leu Ser Cys Ala Ala
    50                  55                  60

Ser Gly Phe Thr Phe Ser Ser Tyr Thr Met Ser Trp Val Arg Gln Thr
65                  70                  75                  80

Pro Glu Lys Arg Leu Glu Trp Val Ala Ser Ile Ser Ser Gly Gly Thr
                85                  90                  95

Tyr Thr Tyr Tyr Pro Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Arg
            100                 105                 110

Asp Asn Ala Lys Asn Thr Leu Tyr Leu Gln Met Thr Ser Leu Lys Ser
        115                 120                 125

Glu Asp Thr Ala Met Tyr Tyr Cys Ser Arg Asp Asp Gly Ser Tyr Gly
    130                 135                 140

Ser Tyr Tyr Tyr Ala Met Asp Tyr Trp Gly Gln Gly Thr Ser Val Thr
145                 150                 155                 160

Val Ser Ser Ala Ser
                165
```

<210> 5
<211> 533
<212> DNA
<213> Artificial sequence

<220>
<223> Dhvar 1/linker peptide/SWLA3 VH chain construct synthesized using sequential PCR techniques

<220>
<221> misc_feature
<222> (69)..(110)
<223> Dhvar 1 peptide

<220>
<221> misc_feature
<222> (111)..(158)
<223> Glycine/serine linker peptide

<400> 5
ggatatccac catggacttc gggttgagct tggttttcct tgtccttact ttaaaaggtg 60

tccagtgtaa gcggctgttt aaggagctca agttcagcct gcgcaagtac tctggtggcg 120

gtggctcggg cggaggtggg tcgggtggcg gcggatccga cgtgaagctt gtggagtctg 180

ggggaggctt agtgaaccct ggagggtccc tgaaactctc ctgtgcagcc tctggattca 240

ctttcagtag ctataccatg tcttgggttc gccagactcc ggagaagagg ctggagtggg 300

tcgcatccat tagtagtggt ggtacttaca cctactatcc agacagtgtg aagggccgat 360

tcaccatctc cagagacaat gccaagaaca ccctgtacct gcaaatgacc agtctgaagt 420

ctgaggacac agccatgtat tactgttcaa gagatgacgg ctcctacggc tcctattact 480

atgctatgga ctactggggt caaggaacct cagtcaccgt ctcttcagct agc 533

<210> 6
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic antimicrobial peptide based on histatin 5

<400> 6

Lys Arg Leu Phe Lys Glu Leu Lys Phe Ser Leu Arg Lys Tyr
1 5 10

<210> 7
<211> 155
<212> PRT
<213> Artificial sequence

<220>
<223> Dhvar 1/linker peptide/SWLA3 VH chain construct synthesized using sequential PCR techniques

<220>
<221> MISC_FEATURE
<222> (1)..(14)
<223> Dhvar 1 peptide

<220>
<221> MISC_FEATURE
<222> (15)..(30)
<223> Glycine/serine linker peptide

<400> 7

```
Lys Arg Leu Phe Lys Glu Leu Lys Phe Ser Leu Arg Lys Tyr Ser Gly
1               5                  10                  15


Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Asp Val
            20                  25                  30


Lys Leu Val Glu Ser Gly Gly Gly Leu Val Asn Pro Gly Gly Ser Leu
        35                  40                  45


Lys Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr Thr Met
    50                  55                  60


Ser Trp Val Arg Gln Thr Pro Glu Lys Arg Leu Glu Trp Val Ala Ser
65                  70                  75                  80


Ile Ser Ser Gly Gly Thr Tyr Thr Tyr Tyr Pro Asp Ser Val Lys Gly
                85                  90                  95


Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Leu Tyr Leu Gln
            100                 105                 110


Met Thr Ser Leu Lys Ser Glu Asp Thr Ala Met Tyr Tyr Cys Ser Arg
        115                 120                 125


Asp Asp Gly Ser Tyr Gly Ser Tyr Tyr Tyr Ala Met Asp Tyr Trp Gly
    130                 135                 140


Gln Gly Thr Ser Val Thr Val Ser Ser Ala Ser
145                 150                 155
```

<210> 8
<211> 89
<212> DNA

<213> Artificial sequence

<220>
<223> PCR primer used to generate histatin 5/SWLA3 chimeric antibody fusion protein construct

<400> 8
caccactcgc acagaggata ctctggtggc ggtggctcgg gcggaggtgg gtcgggtggc 60

ggcggatccg acgtgaagct tgtggagtc 89

<210> 9
<211> 84
<212> DNA
<213> Artificial sequence

<220>
<223> PCR primer used to generate histatin 5/SWLA3 chimeric antibody fusion protein construct

<400> 9
ggtgtccagt gtgatagcca cgctaagcgg caccacggat ataagcggaa gttccacgag 60

aagcaccact cgcacagagg atac 84

<210> 10
<211> 74
<212> DNA
<213> Artificial sequence

<220>
<223> PCR primer used to generate histatin 5/SWLA3 chimeric antibody fusion protein construct

<400> 10
gatatccacc atggacttcg ggttgagctt ggttttcctt gtccttactt taaaaggtgt 60

ccagtgtgat agcc 74

<210> 11
<211> 87
<212> DNA
<213> Artificial sequence

<220>
<223> PCR primer used to generate dhvar 1/SWLA3 chimeric antibody fusion protein construct

<400> 11
gttcagcctg cgcaagtact ctggtggcgg tggctcgggc ggaggtgggt cgggtggcgg 60

cggatccgac gtgaagcttg tggagtc 87

<210> 12
<211> 69
<212> DNA
<213> Artificial sequence

<220>
<223> PCR primer used to generate dhvar 1/SWLA3 chimeric antibody fusion protein construct

<400> 12
gtccttactt taaaaggtgt ccagtgtaag cggctgttta aggagctcaa gttcagcctg 60

cgcaagtac 69

<210> 13
<211> 65
<212> DNA
<213> Artificial sequence

<220>
<223> PCR primer used to generate dhvar 1/SWLA3 chimeric antibody fusion protein construct

<400> 13
ggatatccac catggacttc gggttgagct tggttttcct tgtccttact ttaaaaggtg 60

tccag 65

<210> 14
<211> 39
<212> DNA
<213> Artificial sequence

<220>
<223> PCR primer used to generate histatin 5/SWLA3 and dhvar 1/SWLA3 chimeric antibody fusion protein constructs

<400> 14
tgggtcgacw gatggggstg ttgtgctagc tgaggagac 39

<210> 15
<211> 18
<212> PRT
<213> Sus scrofa

<400> 15

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 16
<211> 57
<212> DNA
<213> Sus scrofa

<400> 16
aggggaggtc gcctgtgcta ttgtaggcgt aggttctgcg tctgtgtcgg acgagga 57

<210> 17
<211> 18
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic antimicrobial peptide based on Ovis aries SMAP-29

<400> 17

Lys Asn Leu Arg Arg Ile Ile Arg Lys Gly Ile His Ile Ile Lys Lys
1 5 10 15

Tyr Gly

<210> 18
<211> 36
<212> DNA
<213> Artificial sequence

<220>
<223> Forward primer for amplification of protegrin PG-1

<220>
<221> misc_feature
<222> (8)..(15)
<223> SapI restriction enzyme cleavage site

<400> 18
ggtggttgct cttccaacag gggaggtcgc ctgtgc 36

<210> 19
<211> 23
<212> DNA
<213> Artificial sequence

<220>
<223> Reverse primer for amplification of protegrin PG-1

<220>
<221> misc_feature

<222> (3)..(8)
<223> BamHI restriction enzyme cleavage site

<400> 19
ccggatcctc gtccgacaca gac 23

<210> 20
<211> 23
<212> DNA
<213> Artificial sequence

<220>
<223> Forward primer for amplification of glycine/serine linker

<400> 20
ggggatccgg tggcggtggc tcg 23

<210> 21
<211> 26
<212> DNA
<213> Artificial sequence

<220>
<223> Reverse primer for amplification of glycine/serine linker

<220>
<221> misc_feature
<222> (4)..(9)
<223> ClaI restriction enzyme cleavage site

<400> 21
aacatcgata gatccgccgc cacccg 26

<210> 22
<211> 23
<212> DNA
<213> Artificial sequence

<220>
<223> Forward primer for amplification of SWLA3 VL chain

<220>
<221> misc_feature
<222> (3)..(8)
<223> ClaI restriction enzyme cleavage site

<400> 22
ggatcgatgt tgtgatgacc cag 23

<210> 23
<211> 31

<212> DNA
<213> Artificial sequence

<220>
<223> Reverse primer for amplification of SWLA3 VL chain

<220>
<221> misc_feature
<222> (5)..(10)
<223> SalI restriction enzyme cleavage site

<400> 23
gcgggtcgac cgacttacgt ttcagctcca g 31

<210> 24
<211> 29
<212> DNA
<213> Artificial sequence

<220>
<223> Forward primer for amplification of SWLA3 VH chain

<220>
<221> misc_feature
<222> (5)..(10)
<223> SalI restriction enzyme cleavage site

<400> 24
gcgggtcgac gtgaagctgg tggagtctg 29

<210> 25
<211> 30
<212> DNA
<213> Artificial sequence

<220>
<223> Reverse primer for amplification of SWLA3 VH chain

<220>
<221> misc_feature
<222> (10)..(15)
<223> NheI restriction enzyme cleavage site

<400> 25
gggtgttgag ctagctgaag agacggtgac 30

<210> 26
<211> 24
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic linker for use in protegrin fusion protein

<400> 26

Leu Asp Pro Lys Ser Cys Glu Arg Ser His Ser Cys Pro Pro Cys Gly
1 5 10 15

Gly Gly Ser Gly Gly Gly Thr Ser
20

<210> 27
<211> 72
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic linker for use in protegrin fusion protein

<400> 27
ctcgacccaa agagctgcga gcggagccac agctgcccac cgtgcggggg tgggtccggc 60

ggtggcacta gt 72

<210> 28
<211> 28
<212> DNA
<213> Artificial sequence

<220>
<223> Forward primer for amplification of SWLA3 VH chain/CH3 linker

<220>
<221> misc_feature
<222> (5)..(10)
<223> NheI restriction enzyme cleavage site

<400> 28
gtgggctagc ctcgacccaa agagctgc 28

<210> 29
<211> 38
<212> DNA
<213> Artificial sequence

<220>
<223> Reverse primer for amplification of SWLA3 VH chain/CH3 linker

<400> 29
aggttctcgg ggctgcccac tagtgccacc gccggacc 38

<210> 30
<211> 19
<212> DNA
<213> Artificial sequence

<220>
<223> Forward primer for amplification of human CH3 gene fragment

<400> 30
gggcagcccc gagaacaac 19

<210> 31
<211> 33
<212> DNA
<213> Artificial sequence

<220>
<223> Reverse primer for amplification of human CH3 gene fragment

<220>
<221> misc_feature
<222> (7)..(12)
<223> PstI restriction enzyme cleavage site

<400> 31
ggtggtctgc agtttacccg gggacaggga gag 33